



RECEIVED

NOV 07 2003

SEQUENCE LISTING

TECH CENTER 1600/2900

<110> Shiuan, David

<120> Yeast with High Biotin-Productivity and the Preparation Method
Thereof

<130> 251410-1010

<140> 09/752,957

<141> 2001-01-02

<160> 5

<170> PatentIn version 3.2

<210> 1

<211> 1188

<212> DNA

<213> nucleic acid

<400> 1

atgtcgttta tattgactgc tattagtcgt ccgattgctc tttccacttc tagagttagct
60tctaggggcta ctctggcaac aggtgctact gctgctgcgg agatcttggaa agatgtgttc
120acggaacaaa tggaagaagt ggcttcacag gagaagaagc caaacccatt ggaatatgca
180ttgtcagtga agacaccagt caacacctgg accaaagaag aaattaaagc tatatatgac
240acaccactca tggacttgat gcactatgct caggtgcaac acagaagggtt ccaacaacct
300tcagaggttc aattgtgcac tcttatgaat atcaaaactg gtggttgtac cgaggactgt
360aagtactgtg cccaatcaca gcgttacaac actggtgtca aggctgaaag aatcatccaa
420gttgatgagg tgattgaagc tgcaaaggag gcaaaggcca atggatctac aaggttctgt
480

atgggtgctg cttggagaga gatgaaaggt agaaagtcaa acttgaagaa aatcaaagag

540

atgatcactg ctgtccatga ccttggaaatg gagagttgtg tcaccctggg aatggttgat
600

aaagaccaag ccactgaatt gaaaagtgtc gggttgcacgg cgtacaacca taacattgat
660

acttacaagg aacactatcc aaaggtgatc tccacaagaa gctttgatga tagattgaaa
720

acattcaaaa acgttcaagg atctggatta aaggcatgca caggtggtat tcttggtctt
780

ggtagaccc aagaggaccc tgtatcttc ctctacacct tggccacaat ggatcagcat
840

ccagagtctc ttccaatcaa cagactggc ccaatcaagg gcacgccaat gtatgaagaa
900

gttaagaaca agcaagttga agttgatgag attgtcagaa ccattgctac tgcaagattg
960

gtcatgccaa cgtctattat cagattggct gcaggaagat atacaatgaa agaggcagaa
1020

caggtgatgt gcttcatggc tgggtgtaat gccatctca caggtaaagaa aatgctcaca
1080

acaatgtgta acggctggga tgaggataaa gccatgttgg ctaaatgggg tctgaaacca
1140

atggagagtt tcaaatacaa accaaggag gttgcattcg gtgcattga
1188

<210> 2

<211> 30

<212> DNA

<213> Gene

<400> 2

gaaagtgcac tcaagatctg tcgtacttaa
30

<210> 3

<211> 21

<212> DNA
<213> Gene

<400> 3
ccgcagttaa atcgacaact g
21

<210> 4
<211> 23
<212> DNA
<213> Amino Acid

<220>
<221> misc_feature
<222> (4)..(4)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (6)..(6)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (18)..(18)
<223> n is a, c, g, or t

<400> 4
tgtncngarg aytgyaanta ttg
23

<210> 5
<211> 20
<212> DNA
<213> Amino Acid

<220>
<221> misc_feature
<222> (6)..(6)
<223> n is a, c, g, or t

<220>
<221> misc_feature
<222> (8)..(8)

<223> n is a, c, g, or t

<400> 5

gtrtcnanrt trtggttgta

20

Seq. ID No. 4 needs a 'misc_feature' that defines the unknown nucl eotide in position 4
Seq. ID No. 4 needs a 'misc_feature' that defines the unknown nucl eotide in position 6
Seq. ID No. 4 needs a 'misc_feature' that defines the unknown nucl eotide in position 18
Seq. ID No. 5 needs a 'misc_feature' that defines the unknown nucl eotide in position 6
Seq. ID No. 5 needs a 'misc_feature' that defines the unknown nucl eotide in position 8